

# Aqua Mix® Grout Deep Clean

## 1 Product Name

Aqua Mix® Grout Deep Clean

## 2 Manufacturer

Custom Building Products  
 Technical Services  
 10400 Pioneer Boulevard, Unit 3  
 Santa Fe Springs, CA 90670  
 Customer Support: 800-272-8786  
 Technical Services: 800-282-8786  
 Fax: 800- 200-7765  
 Email: [contactus@cbpmail.net](mailto:contactus@cbpmail.net)  
[custombuildingproducts.com](http://custombuildingproducts.com)

## 3 Product Description

A powerful cleaner designed to remove grease, food stains, soap scum, dirt and soil from grout joints. Restores color and appearance of dirty and stained grout.

### Key Features

- Advanced stain-pulling power
- For use in heavily soiled and neglected areas
- Safely cleans dirt, grease and food stains

### Suitable Tile Types

Surrounding tile and stone and any of the following grouting materials:

- [Cementitious sanded and unsanded grout](#)
- [Epoxy grout](#)
- [Pre-mixed grout](#)
- [Single component grout](#)
- Urethane grout

### Limitations to the Product

- Do not allow product to come in contact with any non-recommended surface
- May adversely affect grout joints that have been coated with a colorant or grout stain

## 4 Technical Data

### Technical Chart

Property	Results
pH	11-12 (alkaline)

### Environmental Consideration

Complies with all Federal EPA and SCAQMD standards for VOC.

## 5 Instructions

### Application of Product

**USE CHEMICAL-RESISTANT GLOVES, such as nitrile, when handling product.**

Read entire label before using. Sweep, vacuum or wipe surface. Apply Grout Deep Clean onto grout joint. Allow to dwell for 5 to 10 minutes. Agitate with nylon scrub brush or white scrub pad. Rinse thoroughly with clean water. Allow 2 hours drying time before sealing.



### Cleaning of equipment

Clean tools with water before material dries.

### Storage

- Close container tightly after each use
- Store in original container only
- Store in and use in temperatures between 45° F to 85° F (7° C to 29° C)
- Store in areas inaccessible to small children
- Do not reuse empty container, wrap and discard in trash or recycle

### Health Precautions

MAY BE HARMFUL IF SWALLOWED. MAY IRRITATE EYES AND SKIN. Wear skin and eye protection. Do not breathe vapor or spray. Contains silicic acid. If in eyes, flush with water for at least 15 minutes. If on skin, wash with soap and water. If respiratory tract is irritated, move to fresh air. If irritation persists, seek medical attention. If swallowed, DO NOT induce vomiting. Seek medical attention.

## 6 Availability & Cost

Location	Item Code	Size	Package
USA	010530-4	24 oz. (710 ml)	Spray
Canada	C010530-4	24 oz. (710 ml)	Spray

## 7 Product Warranty

Obtain the applicable **LIMITED PRODUCT WARRANTY** at [www.custombuildingproducts.com/product-warranty](http://www.custombuildingproducts.com/product-warranty) or send a written request to Custom Building Products, Inc., Five Concourse Parkway, Atlanta, GA 30328, USA. Manufactured under the authority of Custom Building Products, Inc. © 2017 Quikrete International, Inc.

## 8 Product Maintenance

Properly applied product requires no special maintenance.

## 9 Technical Services Information

For technical assistance, contact Custom technical services at 800-282-8786 or visit [custombuildingproducts.com](http://custombuildingproducts.com).



# CUSTOM®

# Aqua Mix® Grout Deep Clean

---

## 10 Filing System

Additional product information is available from the manufacturer upon request.

---

### VOC Content

Maximum VOCs: 1 gram per liter

### Related Products

Aqua Mix® Grout Sealer

# Aqua Mix® Grout Deep Clean

---

## Coverage

SIZE	Min Coverage	Max Coverage
24 oz (710 mL) Bottle	25 ft <sup>2</sup> (2.3 M <sup>2</sup> )	75 ft <sup>2</sup> (7 M <sup>2</sup> )